## 6 dead, 45 cases recorded in Lagos cholera outbreak

ON SEPTEMBER 23, 2016 1:21 AMIN NEWSCOMMENTS



By Chioma Obinna, Olasunkanmi Akoni & Efeunu Erezi

LAGOS—THE Lagos State Government, yesterday, disclosed that 45 cases of cholera disease has been recorded in Isolo Local Council Development Area, LCDA, of the state, with six deaths already recorded.



Giving update on the outbreak, at a press conference in Lagos, the State Commissioner for Health, Dr. Jide Idris explained that out of the six cases, two were brought in dead.

He added that 36 cases have been successfully managed in various hospitals across the state while four people are currently responding to treatment.

According to the commissioner, the main source of the outbreak has been traced to local consumption of Salad called *Abacha*, a staple food of the residents of Isolo council area.

His words: "Some domestic wells within the communities are also suspected. Sample of *Abacha* salad and well water have been collected and sent to the Lagos State Drug Quality Control Laboratory for analysis.

"Samples were collected from 15 cases and taken to the central public health laboratory, Yaba. There were no growths, however continuous culture yielded *Vibro cholerae* from 7 out of 15 samples. The Vibro cholera was late confirmed to be *Ogawa* strain."

The Health Commissioner pointed out that "the report of the analysis revealed the presence of vibro cholerae, *Salmonella species and E. Coli* in *abacha* and one of the two well water samples."

He explained that 26 cases of the disease were managed at Isolo General Hospital and Lagos Mainland Hospital, 22 have been discharged, one died while three are still on admission at Lagos Mainland Hospital.

"All the three cases are still on admission and in stable conditions. 17 of the cases were managed at private health facilities in Isolo. Out of the 17cases three died. All 14 cases on admission have been discharged", he said.

He noted that the symptoms of the disease includes nausea, profuse diarrhoea, vomiting, fever, leg cramps, and in severe cases leads to dehydration, coma or death.

"The risk of contracting the disease is mainly by poor water and environmental sanitation, including open defecation", he alerted.

Calling on Lagosians to imbibe personal hygiene and other control measures instituted by the state government, he said, "Lagosians should endeavour to wash their hands with soap and water frequently and thoroughly, especially after using the rest room. Boil water before drinking, especially if you are not sure of the source of water."

He also appealed to Lagosians to stop open defecation, which has been linked to outbreak of cholera and diarrhoea.