





Breaking News

TRANSLATE	SELECT LANGUAGE	•
-----------	-----------------	---

Four family members perish in collapsed building in Kano

ON APRIL 14, 2020 4:13 PM / IN METRO /

Kindly Share This Story:



The Kano State Fire Service has confirmed that four members of a family died in a collapsed building at Saberi area in Gwale Local Government Area, on Monday.

The Spokesman of the Service, Saidu Mohammed, who confirmed the incident in a statement on Tuesday in Kano, said that three other victims were rescued alive from the debris.

Mohammed said that the incident occurred when the occupants of the house were sleeping.

"Seven persons were trapped in the collapsed building, four of them died later at Murtala Muhammad Specialist Hospital, Kano while the remaining three victims were receiving treatment at the hospital.

"Among those rescued was a one-year-old boy.

"We received a distress call from one, Sadi Gora, who lives in the neighbourhood, at about 11:45 p.m. that a building collapsed in the area.

READ ALSO: Coronavirus: Police close down markets, create food centers in Anambra

"On receiving the information, we quickly deployed our rescue team to the scene at about 11:55 p.m.," he said.

According to him, the cause of the incident is still under investigation.

Meanwhile, the Service also confirmed that two other persons died after they drown in an open well on April 13, at Hotoro Limawa Quarters in Tarauni Local Government Area of the state.

"We received a distress call from one, Murtala Muhammed, at about 1:22 p.m. that three persons fell inside a well.

"On receiving the information, we quickly sent our rescue team and a vehicle to the scene at about 1:30 p.m.," he said.

He said the team rescued them but found out that only one of them was alive while the remaining two were dead. (NAN)

VANGUARD

Kindly Share This Story:

Related



Four family members die in Kano building collapse



4 family members die in building collapse, 3 drown in Kano well



Firemen rescue 6 from collapsed building in Kano