FRONT PAGE



Advertisement

AEDC: Man electrocuted in

THE NATION

POLICY RADAR

PETROBAROMETER

LIFESTYLE

Your email address

SPORT

Nasarawa not our official

♠ BACK TO HOMEPAGE **⋒ SUBSCRIBE TO RSS FEED**

Subscribe

Advertisement

Advertisement

	EXCH
	Mar
	INTE
	LAG
	KAN
	PH
	ABU
	NOTE: be slight

EXCHANGE RATES			
March 25, 2019	USD	GBP	EUR
INTERBANK	306	397	354
LAGOS	362	475	413
KANO	361	474	413
PH	361	475	412
ABUJA	362	476	413

The black market rates represent the most prevalent. They could ntly higher or lower among different sellers.

FRONT PAGE

THE NATION

BUSINESS

BUSINESS


POLICY RADAR

PETROBAROMETER

LIFESTYLE SPORT VIEW MORE ARTICLES

0 Comments

Share it With Friends















Advertisement

The Abuja Electricity Distribution Company (AEDC) has denied the death of one its officials as a result of electrocution in Nasarawa state.

In a statement on Sunday, Oyebode Fadipe, AEDC's general manager of corporate communications, said both Mohammed Lawal and Tanko Lawal, who were involved in illegal electrical connection in Keffi, were falsely described as a staff of the company on social media.



Edward Onoja: Why APC won all 25 seats in Kogi assembly

Mohammed had invited Lawal to fix an electrical connection at the School of Health, Angwan NEPA area of Keffi, but Lawal was electrocuted in the process.

"The deceased – Tanko Lawal and Mr. Mohammed Lawal who invited him to restore electricity were unauthorized persons who illegally went on the AEDC facility in the compound of the school to do a job for which they lack the required expertise and therefore did not take heed of safety rules that are absolutely necessary before working on any electrical circuit," Fadipe said.

"The deceased whose name was given as Tanko Lawal was invited by one Mohammed Lawal who up till 2016 was a staff of AEDC to help restore electricity to the school which it lost while students were playing football. The lines feeding the school was without electricity from AEDC as at the time of the incident and that the victim is suspected to have suffered electrocution as a result of back feeding from the generator of the school. Electricity was only restored to the lines about 4pm on the same day if the incident, which was long after the electrocution which occurred about 11am.

"While the death of the deceased is regrettable, the incident has brought back the need to further emphasise the need for unauthorized persons to stay away from electrical equipment since they are ill-equipped to deal with such situations."


RECEIVE ALERTS FROM THECABLE







Copyright 2019 The Cable. All rights reserved. This material, and other digital content on this website, may not be reproduced, published, broadcast, rewritten or redistributed in whole or in part without prior express written permission from TheCable.



Social Comments

0 Comments

Sort by Newest \$ Add a comment...





A SCROLL BACK TO TOP ✓ WRITE COMMENT



AEDC: Man electrocuted in Nasarawa not our official



Army vows to deal with serving soldier arrested for cultism



Tension in Kano as DSS, policemen clash at collation centre



Kano govt denies arrest of commissioner

Advertisement TRENDING PDP agents storm out of Kano collation center

as INEC set to declare winner